

COMMUNIQUE

**COMMUNICATION TO INDUSTRY ON THE METFORMIN-CONTAINING MEDICINES THAT
ARE REGISTERED AND IN PROCESS IN SOUTH AFRICA**

To: All applicants

From: PEM Unit Manager

Date: 12 October 2020

The South African Health Products Regulatory Authority (SAHPRA), in collaboration with other regulatory agencies, are reviewing the final pharmaceutical products for immediate and extended release dosage forms containing metformin hydrochloride as an active substance. This review was triggered because of the detection of an impurity, N-nitrosodimethylamine (NDMA) in the metformin hydrochloride which were observed to be above the acceptable intake limit.

SAHPRA previously issued a press release regarding the notice of concern regarding metformin (17 January 2020).

NDMA is classified as a probable human carcinogen (a substance capable of causing cancer) based on the results from laboratory tests. The presence of these impurities appears to be generated by the reaction of a secondary amine (which may be present as an impurity or degradant in the solvents and reagents used) and sodium nitrite under acidic conditions where nitrous acid is formed. Although the exact source of the impurity is yet to be determined, it is possible that NDMA may form from the degradation of metformin, even after normal storage conditions.

SAHPRA is currently reviewing the levels of NDMA and any other N-nitrosamine impurities in these metformin containing medicines and the measures that can be taken to reduce or eliminate the impurity from future batches produced by companies.

Below are queries from the Pharmaceutical Evaluations & Management unit for your attention and response regarding the metformin containing medicines which are registered. Companies are requested to take note, that the response to these queries should be submitted no later than six **(6) months** after the date of this notification for registered metformin-containing medicines. For in-process and pending products, ensure that the queries below are addressed when responding to recommendations from SAHPRA, PEM pre-registration unit or the backlog project.

General

1. In your response, ensure that the code **VRR - METFORMIN - APPLICANT NAME** is indicated as the folder name and on the cover letter.
2. State the valid CEP or current DMF number as well as the API source used during the application.

Module 3.2.S.2

3. Each registration holder should conduct a thorough review of the manufacturing process (es) of the metformin hydrochloride used in their finished products with respect to the potential formation of N-nitrosamines during the manufacturing process (e.g. N-nitrosodimethylamine (NDMA)).
 - 3.1 The exact source of the impurity is yet to be determined during the synthesis of metformin hydrochloride. However, the registration holder should discuss the potential for formation of N-nitrosamines, and provide a detailed description of the relevant process steps including quench, work-up, phase separation and extraction procedures, as well as information on waste streams. If information is considered confidential, such information can be submitted directly to SAHPRA by the API manufacturer making reference to affected final pharmaceutical product proprietary name and application or registration number.
 - 3.2 In the discussion, include the types of amine compounds used (primary, secondary or tertiary) since there is a potential for generation of N-nitrosamines when a secondary amine is present in the reaction mixture under acidic conditions and when a nitrite salt is used. Secondary amines could originate from impurities in or degradants of solvents (e.g. DMF - dimethylformamide, DMA - dimethylacetamide, NMP - N-Methyl-2-pyrrolidone) or reagents (e.g. tertiary amine bases such as Et₃N, etc.), or be present intentionally, e.g. as part of a raw material.
 - 3.3 State if you are currently using (or have previously used) any API supplier that has steps in the API manufacturing process that may potentially lead, or have led, to the generation of NDMA or any other possible N-nitroso impurities.

Module 3.2.S.4.1

4. Provide the revised signed, dated and version-controlled specifications by the API and FPP manufacturers which should include the control of the N-nitrosamine impurities.

Module 3.2.S.4.3

5. The API manufacturer should preferably use analytical methods used by European Official Medicines Control Laboratories (OMCLs). If a manufacturer prefers to use other methods, then full details of the analytical methods, including the method validation should be provided. See link below;

https://www.edqm.eu/sites/default/files/medias/fichiers/OMCL/omcl_method_parameters_ndma_api_fdf_metformin_de-by.pdf

https://www.edqm.eu/sites/default/files/medias/fichiers/Nitrosamines/omcl_cvua_karlsruhe_gcsmms_method_for_ndma_determination_in_metformin_ds_ad_dp_3mar.pdf

Alternatively, you can use the analytical methods established by the USFDA. See links below;

<https://www.fda.gov/media/134914/download>
<https://www.fda.gov/media/138617/download>

6. Submit validation data for forced degradation studies of the API. A specific and quantitative validated method for related substance, described in full, should be used in these studies. Supporting chromatograms, where relevant, should be included in the methods or validation section.

Module 3.2.S.4.4

7. Provide CoAs and batch analysis data on three consecutive recently manufactured batches on the levels of NDMA and any other N-nitrosamine impurity in the manufactured API and finished product(s).
8. In addition, provide CoAs and batch analysis data on batches that have been placed under stability.
9. Below are the tentative limits for the impurities:

	NDMA	
Active substance (max daily dose)	Maximum daily intake (ng)	Limit (ppm)
Metformin hydrochloride (1000 mg)	96.0	0.096

Below are the maximum daily intake limits for other nitrosamine impurities:

Active substance (max daily dose)	Name of Nitrosamine impurity	Allowable daily intake (ng/day)
NDMA	N-nitrosodimethylamine	96.0
NDEA	N-nitrosodiethylamine	26.5
NMPA	N-nitroso-N-methyl-propylamine	26.5
NMBA	N-nitroso-N-methyl-4-aminobutyric acid	96.0
DIPNA	N-nitrosodiisopropylamine	26.5
EIPNA	N-nitrosoethylisopropylamine	26.5

Module 3.2.S.7.3

10. Provide a summary of the results of the stress testing studies should be provided including the treatment conditions (e.g., concentrations of solutions prepared, storage temperatures and durations) and the observations for the various test parameters (e.g., assay, degradation products) as well as a discussion of the results (e.g., observance of mass balance, potential impact on drug product manufacture, likelihood of formation of impurities under accelerated and long term conditions).
11. Submit stability data which include the control of NDMA for batches that have been placed under stability, to confirm the absence or low detection of the NDMA impurity.

Module 3.2.P.2

12. Drug product manufacturers should conduct risk assessments to determine the potential for nitrosamine impurities in drug products. A risk assessment should involve collaboration with the API manufacturer to aid in the identification of the API route of synthesis (ROS) or other process conditions of the API's manufacture that put the drug product at risk for nitrosamine impurities. The risk assessment should also include evaluation of any pathway (including degradation) that may introduce nitrosamines during drug product manufacture or storage. If the risk assessment determines that there is no potential for nitrosamine impurities, there is no need to take further action.

Module 3.2.P.3.3

13. If a nitrosamine impurity is detected, manufacturers should investigate the root cause and implement changes in the manufacturing process to mitigate or reduce nitrosamine impurities.

Module 3.2.P.5.1

14. If a nitrosamine impurity is detected above the LOQ, the manufacturer should develop a strategy to ensure that the nitrosamine level remains within the allowable intake limit. The control strategy should include specification limits for the identified nitrosamines. This should be accompanied by CoAs and batch analysis data on three consecutive production batches.

Module 3.2.P.5.3

15. If a risk of nitrosamines in a drug product is identified through detection, confirmatory testing of batches should be conducted using sensitive and appropriately validated methods.

Module 3.2.P.5.4

16. Provide CoAs and batch analysis data on three consecutive production batches on the levels of NDMA/NDEA and any other N-nitrosamine impurities in the final pharmaceutical product(s).

Module 3.2.P.8.3

17. Provide stability data or a commitment to place at least one production batch on stability to confirm that the nitrosamine impurities are not formed over time in the final product.

For products that are in-process the queries should be factored in during a response to recommendations. For submission of the response you are required to upload the document into SAHPRA's File transfer Protocol (FTP) server. For more information and to request access to this document upload system please contact newmedicines@sahpra.org.za. A copy of these queries and the amendment schedule must be included in your response.

Issued by:

Mr. Davis Mahlatji/ Ms. Silverani Padayachee

Unit Manager/Senior Manager

Pharmaceutical Evaluations: SAHPRA

For further enquiries /information contact:

Media contact:

Mr. Yuven Gounden

Tel: 012 501 0422

Cell: 066 120 2669

E-mail: yuveng@sahpra.org.za

About SAHPRA

SAHPRA is tasked with regulating (monitoring, evaluating, investigating, inspecting and registering) all health products and clinical trials in South Africa. Health products include complementary medicines, medical devices and in vitro diagnostics (IVDs). SAHPRA also has the responsibility of overseeing the radiation control in South Africa. SAHPRA's mandate is outlined in the Medicines and Related Substances Act (Act No 101 of 1965 as amended) as well as the Hazardous Substances Act (Act No 15 of 1973).

SAHPRA has three pillars to ensure that medicines, medical devices and IVDs meet the requisite standards to protect the health and well-being of South Africans:

- Safety
- Efficacy
- Quality

It is these three pillars that define the ethos of SAHPRA.