


<b>Doc Number:</b> GLF-CEM-PV-06A <i>[Old Doc no. 6.04]</i>	<b>ADVERSE DRUG REACTION (ADR)/ PRODUCT          QUALITY PROBLEM REPORT FORM</b> (PUBLIC AND PRIVATE SECTOR) (Including Herbal Products)	 South African Health Products Regulatory Authority
	Revision: 2.0	Effective date: 20 January 2023

Reporting Health Care Facility/Practice			
Building A, Loftus Park 402 Kirkness Street, Arcadia, Pretoria Tel: (012) 501 0311 E-mail: <a href="mailto:adr@sahpra.org.za">adr@sahpra.org.za</a>	Facility/Practice		
	District		Tel
	Province		Fax

Patient Details							
Patient Initials		File/Reference Number		Date of Birth/Age			
Sex	<input type="checkbox"/> M <input type="checkbox"/> F <input type="checkbox"/> Unk	Race		Weight (kg)		Height (cm)	Pregnant? <input type="checkbox"/> N <input type="checkbox"/> Y
Allergies	Estimated Gestational Age at time of reaction						

**Suspect Medicine(s) [Medicines suspected to have caused the ADR], Concomitant [Other medicines taken together with the suspect medicine(s)] OR Interacting [Other medicines taken together with the suspect medicine(s) and may have interacted with the suspect medicine(s)] [Including over-the-counter and herbal products].**

Trade Name [Active Ingredient if Trade Name is unknown]	Suspect or Concomitant or Interacting Medicines Taken (Please tick the applicable box)	Route	Dose (mg) and Interval	Date Started/ Given	Date Stopped	Reason for use	Batch Number	Expiry Date
	<input type="checkbox"/> Suspect <input type="checkbox"/> Concomitant <input type="checkbox"/> Interacting							
	<input type="checkbox"/> Suspect <input type="checkbox"/> Concomitant <input type="checkbox"/> Interacting							
	<input type="checkbox"/> Suspect <input type="checkbox"/> Concomitant <input type="checkbox"/> Interacting							
	<input type="checkbox"/> Suspect <input type="checkbox"/> Concomitant <input type="checkbox"/> Interacting							
	<input type="checkbox"/> Suspect <input type="checkbox"/> Concomitant <input type="checkbox"/> Interacting							
	<input type="checkbox"/> Suspect <input type="checkbox"/> Concomitant <input type="checkbox"/> Interacting							

Adverse Drug Reaction/Product Quality Problem	
Date and time of onset of reaction	Date reaction resolved
Please describe Adverse Event/Product Quality Problem: (kindly add as much clinical information as possible)	

Intervention (Tick all that apply)	Patient Outcomes (Tick all that apply)	Adverse event seriousness criteria (Tick all that apply)
<input type="checkbox"/> No intervention <input type="checkbox"/> Intervention unknown <input type="checkbox"/> Patient counselled/non-medical treatment <input type="checkbox"/> Discontinued suspect drug; <b>Replaced with:</b> _____ <input type="checkbox"/> Decreased suspect drug dosage; <b>New Dose:</b> _____ <input type="checkbox"/> Treated ADR - with: _____ <input type="checkbox"/> Referred to hospital: <b>Hospital name</b> _____ <input type="checkbox"/> Other intervention (e.g., dialysis): _____	<input type="checkbox"/> ADR recovered/resolved <input type="checkbox"/> Recovering/resolving <input type="checkbox"/> Not recovered/not resolved <input type="checkbox"/> Recovered with sequelae <input type="checkbox"/> ADR resolved after suspect medicine was stopped: <input type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> ADR reappeared after restarting suspect drug/similar drug (rechallenge): <input type="checkbox"/> N <input type="checkbox"/> Y <input type="checkbox"/> Not done <input type="checkbox"/> Unknown	<input type="checkbox"/> Resulted in death Date of death: _____ <input type="checkbox"/> Patient hospitalised or hospitalisation prolonged <input type="checkbox"/> Life threatening <input type="checkbox"/> Impairment/disability <input type="checkbox"/> Congenital anomaly/ birth defect <input type="checkbox"/> Other medically important condition

Laboratory Results			Additional Laboratory Results		
Lab Test	Test Result	Test Date	Lab Test	Test Result	Test Date

Co-morbidities/Other Medical Condition(s)

Reported by			
Name	E-mail		
Designation	<input type="checkbox"/> Nurse <input type="checkbox"/> Pharmacist <input type="checkbox"/> Doctor <input type="checkbox"/> Other:	Telephone	Signature
Date reported:			

**THIS ADR REPORT IS NOT A CONFIRMATION THAT THE REPORTER OR THE SUSPECT MEDICINE(S) CAUSED THE ADR**

## ADVICE ABOUT VOLUNTARY REPORTING

### Report adverse experiences with:

- medications (drugs, vaccines and biologicals)
- complementary / alternative medicines (including traditional, herbal remedies, etc.)

### Please report especially:

- adverse drug reactions to newly marketed products
- serious reactions and interactions with all products
- adverse drug reactions which are not clearly reflected in the package insert.

### Report Product Quality Problems such as:

- suspected contamination
- questionable stability
- defective components
- poor packaging or labelling
- therapeutic failures

### Report even if:

- you're not certain the product caused the event
- you don't have all the details

### Report Product Quality Problems via:

- phone: 0800 204 307
- SAHPRA portal: [Complaints Relating to Medicine and Medical Devices - SAHPRA](#)

### Adverse Events Following Immunisation:

- phone: 0800 02 9999
- email: [AEFI@health.go.za](mailto:AEFI@health.go.za)

### Other reporting tools available at SAHPRA include:

#### Med Safety Application

The Med Safety Application is a mobile application designed for the public and healthcare professionals to report suspected ADRs/adverse event following immunisations (AEFIs). It is the preferred reporting tool by SAHPRA and allows for a seamless electronic submission of ADR/AEFI reports directly from the source into SAHPRA's reporting systems. The app can be downloaded onto a smart mobile phone directly from the SAHPRA website, <https://medsafety.sahpra.org.za>.

For more reporting channels please visit SAHPRA website, <https://www.sahpra.org.za>

## CONSENT CLAUSE

By the signature above, the reporter hereby provides consent to the processing of personal information provided for the purpose of reporting a suspected adverse reaction. The reporter acknowledges that this information may be used a) to access all medical and clinical records for the purpose of gathering additional information for a clinical meaningful data, when required; b) in the generation of statistics; and c) to make policy decisions relating to safe use of medicines.

SAHPRA Vigilance unit undertakes to collate the personal information contained in this form and collected during the process of reporting of suspected adverse drug reaction in a manner that adheres to the Protection of Personal Information Act, so that your personal data is processed fairly, lawfully and transparently, adequate, relevant, and limited to what is necessary, processed for specific and legitimate purposes, accurate and kept up to date where necessary, kept in an identifiable form no longer than necessary for the purpose, processed securely. SAHPRA has put appropriate technical and organisational measures to safeguard your information. The information will not be stored for any longer than is necessary to achieve the purpose for which it was collected, unless SAHPRA Vigilance unit has a lawful basis to do so. If the reporter wishes to access and/or rectify their personal information, they may do so by contacting SAHPRA Vigilance unit at 012 501 0311 or via email: [adr@sahpra.org.za](mailto:adr@sahpra.org.za).

**Confidentiality:** Identities of the reporter and patient will remain strictly confidential.

*Your support of the South African Health Products Regulatory Authority's adverse drug reaction monitoring programme is much appreciated. Information supplied by you will contribute to the improvement of medicine safety and therapy in South Africa.*